

JET-TRP UPSTANDS



For trapezoidal sheet and corrugated sheetings – customized for profiled roofs



JET-TRP upstands

- Precise fitting for easy and absolutely tight assembling in sheet metal roofing or fibre cement constructions
- Available for every current roof profile
- Single-ply or with heat insulated foot flange for ISO/thermo roofs
- Form-fit assembling due to true to size aligned profiling
- Problem-free water circuit via ridge-integrated channeling
- Assembling takes place in the course of the placement of roof elements on the owner's revolving and load-bearing exchanges



JET-steel-aluminium integrated TRP RAK 30 cm high with JET-SHEV light dome



JET-GRP AK for corrugated profile 30 cm high with JET-TOP 90 light dome



1.1.1
JET-TOP 90

1.1.2
JET-TOP 90 PLUS

1.4.1
JET-light dome
safety concept

1.4.5
JET-LK-DDS

1.4.6
JET-LK-DDN

APPLICATION POSSIBILITIES OF THE JET-TRP LIGHT DOME UPSTANDS

			Connection to the roof sealing	
			Trapezoidal resp. corrugated profiles	ISO roof
JET-GRP AK with TRP-slanted sides	1)	15/30/50	•	•
JET-GRP RAK with TRP-slanted sides	1)	30	•	•
JET-GRP TRP RAK		30	•	
JET-GRP RAK corrugated profile		25/30	•	
JET-GRP AK corrugated profile		20/30	•	
JET-GRP-aluminium integrated TRP RAK	2)	30	•	
JET-GRP-aluminium integrated TRP AK	2)	15/30/50	•	
JET-steel-aluminium integrated AK with TRP-slanted sides	3)	30	•	•
JET-steel-aluminium integrated RAK with TRP-slanted sides	3)	30	•	•
JET-steel-aluminium integrated TRP AK		30	•	
JET-steel-aluminium integrated TRP RAK		30	•	
JET-aluminium TRP AK		15/30	•	
JET-aluminium TRP RAK		30	•	
JET-aluminium thermal TRP AK		15/30	•	•
JET-aluminium thermal TRP RAK		30	•	•

NOTE:

1) see also brochure 1.2.4 2) see also brochure 1.2.6 3) see also brochure 1.2.5

- applicable

JET-GRP TRP upstands:

- With TRP profiled flange 30cm high, for highly effective smoke exhaust in RAK geometry
- JET-upstands made of GRP are available in nearly all RAL-like colours

JET-GRP upstands for corrugated profiles:

- For fibre cement corrugated roofing (FZW) with revolving factory-laminated connection flange for profile FZW 5 or FZW 8
- Upstand height depends on profile and order size
- JET-upstands made of GRP are available in nearly all RAL-like colours

JET-aluminium TRP upstands:

- Heat insulated reveal with single-ply TRP profiled flange

JET-steel-aluminium integrated TRP upstands:

- Thermal separated, inside made of steel and outside made of aluminium;
- for SHEV type RAK: heat insulation: 30 mm, U-value: 0,85 W/m²K
- for type AK: heat insulation: 60 mm, U-value: 0,60 W/m²K

JET-aluminium thermal TRP upstands:



- Heat insulated reveal and with heat insulated TRP profiled flange

STANDARD SIZES FIX OR OPENABLE

Order sizes	JET-GRP TRP RAK 30	JET-GRP corrugated profile				JET-steel- aluminium integrated TRP		JET- aluminium TRP AK 15/30	JET- aluminium TRP RAK 30	JET- aluminium thermal AK 15/30	JET- aluminium thermal RAK 30
		AK 20	AK 30	RAK 25	RAK 30	AK 30	RAK 30				
50 x 100								•		•	
50 x 150								•		•	
60 x 60		•						•		•	
60 x 90		•						•		•	
80 x 80								•		•	
90 x 90			•			•		•		•	
90 x 120						•		•		•	
100 x 100			•		•	•	•	•	•	•	•
100 x 150						•	•	•	•	•	•
100 x 200			•			•	•	•	•	•	•
100 x 240						•	•	•	•	•	•
100 x 250						•	•	•	•	•	•
100 x 300						•		•	•	•	•
120 x 120	•		•		•	•	•	•	•	•	•
120 x 150						•	•	•	•	•	•
120 x 180						•	•	•	•	•	•
120 x 210						•	•	•	•	•	•
120 x 240	•					•	•	•	•	•	•
120 x 250						•	•	•	•	•	•
120 x 270						•		•	•	•	•
125 x 250						•	•	•	•	•	•
140 x 200				•					•		•
150 x 150	•		•		•	•	•	•	•	•	•
150 x 180						•	•	•	•	•	•
150 x 210						•	•	•	•	•	•
150 x 240						•	•	•	•	•	•
150 x 250						•	•	•	•	•	•
150 x 270						•		•	•	•	•
180 x 180						•	•	•	•	•	•
180 x 240						•	•	•	•	•	•
180 x 250	•				•	•	•	•	•	•	•
180 x 270						•		•	•	•	•
200 x 200						•	•	•	•	•	•

• applicable

Assembling hints



PLEASE CONTACT:
JET Tageslicht & RWA GmbH · Weidehorst 28 · D-32609 Hüllhorst
 Tel. +49(0)57 44/503-0 · Fax +49(0)57 44/503-40

VdS • ISO 9001 • BS OHSAS 18001
 • installer SHEVS
 • approved products

LIGHT & AIR.
WITH SAFETY.